Document Number: **BD-T0117** 

Document Date: **FEB. 2022** 

Page 1**/2** 

# **PCR Strip Tubes**

#### I. APPLICATIONS

- 1. Molecular biology
- 2. Cell centrifugation
- 3. Sample storage
- 4. Centrifugation of precipitates

### **II. FEATURES**

- 1. Materials: Virgin polypropylene
- 2. Chemically resistant to alcohols and mild organic solvents
- 3. Clear or white tubes; Clear caps
- 4. Temperature range: stable from -20°C to 100°C
- 5. Tested to withstand centrifugation of 6,000 RCF in a fully supported rotor
- 6. Certified RNase & DNase Free

#### III. TUBE DESIGN

- 1. Available in 0.1ml volume
- 2. Conical bottom design fits most standard floor model and table-top centrifuges
- 3. Thin walls to accelerate termperature transfer

### **IV. CAP DESIGN**

a) Available in flat-top design

### V. PACKAGING

1. 125 Strip Tubes+125 Strip Caps/Pack, 10 Packs/Case

#### **VI. DESCRIPTION**

| Item     | Description                               | Packaging                 | Sterile |
|----------|---|---------------------------|---------|
| 60-1088  | 0.1 ml 8-Strip, Flat-top, Clear Tubes and | 125 Strip Tubes+125 Strip | No      |
|          | Clear Caps                                | Caps/Pack, 10 Packs/Case  |         |
| 60-1088W | 0.1 ml 8-Strip, Flat-top, White Tubes and | 125 Strip Tubes+125 Strip | No      |
|          | Clear Caps                                | Caps/Pack, 10 Packs/Case  |         |

## VII. STERILITY

1. N/A

### VIII. CERTIFICATION

Biologix products are manufactured completely according to the TUV ISO 9001:2015 standard.

Tel: +86-531-67802668 Fax: +86-531-67803768 www.BiologixGroup.com

Document Number: **BD-T0117** 

Document Date: FEB. 2022


Page 2/2

### IX. RESTRICTIONS

Refer to the Chemical Resistance Chart in our catalog, and available within our online catalog.

### X. PRODUCT PHOTOS









### **XI. PRODUCT DIMENSION**

### Dimensions=mm









| 1  | 2  | 3  | 5   |
|----|----|----|-----|
| 80 | 64 | 15 | 1.3 |

Tel: +86-531-67802668 Fax: +86-531-67803768